

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	48	foam with rubber with (open adj pore)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/01/23 12:36
L2	1716	"267"/\$.ccls. and (sheet adj metal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/01/23 12:41
L3	89	"267"/\$.ccls. and ((sheet adj metal) with cylinder)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/01/23 12:41
L4	24	3 and chassis	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/01/23 12:50
L5	0	(air adj spring\$1) with (rotation\$4) with (non) with symmetrical	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/01/23 12:51
L6	1	(air adj spring\$1) with (rotation\$4) with asymmetrical	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/01/23 12:51
L7	5	(air adj spring\$1) and ((rotation\$4) with asymmetrical)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/01/23 12:53
L8	5	(air adj spring\$1) and ((rotation\$4) with (asymmetrical or symmetrical))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/01/23 12:53
L9	2461	((rotation\$4) with (asymmetrical))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/01/23 12:54
L10	7	9 and "267"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/01/23 14:17

L11	3	((("4493481") or ("4718650") or ("4722516"))).PN.	USPAT	OR	OFF	2005/01/23 14:22
L12	1	("6315274").PN.	USPAT	OR	OFF	2005/01/23 15:08
L13	2827	267/64.11,64.19,64.21,64.23,64.24,64.27.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/01/23 15:09
L14	112	188/322.12.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/01/23 15:10
L15	96	14 not 13	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/01/23 15:10
S35	14	gleu-j\$.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/01/19 12:31
S36	1	("6315274").PN.	USPAT	OR	OFF	2005/01/19 10:58
S37	5	("3850437" "4310172" "4718650" "4722516" "5267725").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/19 11:01
S38	18	("2925265" "2939698" "3010715" "3033558" "3043582" "3074709" "3438309" "3582027" "3897941" "4332397" "4513845").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/19 11:02
S39	1	("6315274").URPN.	USPAT	OR	OFF	2005/01/19 11:05
S40	13	("4718650").URPN.	USPAT	OR	OFF	2005/01/19 11:05
S41	14	("4722516").URPN.	USPAT	OR	OFF	2005/01/19 11:06
S42	10	("4513845").URPN.	USPAT	OR	OFF	2005/01/19 11:07
S43	86	(cellular or neoprene) with open with pore with material	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/01/19 11:10
S44	0	(neoprene) with (open adj pore adj material)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/01/19 11:11

S45	1	(cellular) with (open adj pore adj material)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/01/19 11:12
S46	1	(elastomeric) with (open adj pore adj material)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/01/19 11:15
S47	2	(neoprene) with (open adj pore)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/01/23 12:31
S48	121	(elastomeric or cellular) with (open adj pore)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/01/19 11:20
S49	44	(elastomeric or cellular) near (open adj pore)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/01/19 11:16
S50	0	S48 and "267"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/01/19 11:16
S51	0	S48 and (air adj spring)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/01/19 11:16
S52	0	S48 with (contaminant or contamination or debris)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/01/19 11:17
S53	2	(elastomeric or cellular) with (open adj pore) with (advantage\$1 or benefit\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/01/19 11:21
S54	3	((("3596895") or ("6315274") or ("6637733"))).PN.	USPAT	OR	OFF	2005/01/19 11:37
S55	10	("3475015" "5575360" "5636831" "5707045" "5752692" "5975506" "6234460" "6264178" "6460836").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/19 11:41

S56	9	("3475015" "5575360" "5636831" "5707045" "5752692" "5975506" "6234460" "6264178" "6460836").PN.	USPAT	OR	OFF	2005/01/19 11:41
S57	611	method with manufactur\$3 with pressure with vessel\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/01/19 12:32
S58	318	method with manufactur\$3 with (pressure adj vessel\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/01/19 12:35
S59	4	S58 same (injection near molding)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/01/19 12:35